

MaxAtec 100 : S01/S02

MaxAtec 100: S01



MaxAtec 100 : S02



Expansion Joint Selection Criteria Load Rating Product Details

| Joint | Gap | Movemen | t | Eurocode Rating | | | Product Dimensions | | | Product | | |
|---------------|--------|---------------|-------------------|-----------------|-------|-----|--------------------|-------------------|---------|-----------|----------|------------------|
| Location | Width | Capacity (mm) | | | | | | Height | | Sightline | Blockout | Number |
| | B (mm) | | [Total] | | | | | H1 (mm) | H2 (mm) | A (mm) | C (mm) | |
| | 30 | ± 5 | [10] | 5 kN | 46 kN | | | | | 41 | 185 | 100-S01-030-(H1) |
| Floor - Floor | 50 | ± 10 [20] | 26: 36: 51: 71 | - | 72 | 216 | 100-S01-050-(H1) | | | | | |
| | 75 | ± 15 | [30] | 2 kN | 31 kN | | | 31.71 | | 94 | 238 | 100-S01-075-(H1) |
| | | | | | | | | | | | | |
| | 30 | ± 5 | [10] | 5 kN | 46 kN | | | 26: 36: 51: 71 | 51 | 41 | 113 | 100-S02-030-(H1) |
| Floor - Wall | 50 | ± 10 | [20] | 2 kN | 31 kN | - | | | 76 | 72 | 144 | 100-S02-050-(H1) |
| | 75 | ± 15 | [30] | Z KIN | SIKN | | | | | 94 | 166 | 100-S02-075-(H1) |

When specifying or ordering please add the **height (H1)** required to the Product Reference. For example MaxAtec 100: S01-030-051 denotes a joint 51mm high.



Floor to Floor | Floor to Wall 30 - 75 mm (1 1/4 - 3") Expansion Gaps

Features

Surface

Smooth surface

Centre supported and Americans with Disabilities Act (ADA) compliant across the entire movement cycle

Movement

Good movement capacity

ASTM E-1399 Class I: Thermal

Class II: Wind

Traffic Frequency per day

| Ż | | | | |
|----------|------|------|---|---|
| ≤ 25,000 | ≤ 10 | ≤ 10 | - | - |

System Options

| 30, 50, 75 mm |
|--------------------------|
| 26, 36, 51, 71 mm |
| 6063 T5 & T6 Aluminium |
| Stainless Steel cappings |
| Black (RAL 7021) |
| Grey (RAL 7038) |
| Beige (RAL 1015) |
| 120 minutes |
| Moisture barrier |
| Contact Vexcolt |
| |

