


## METAL EXPANSION JOINT

Wall to Wall | Corner to Wall


25 - 150 mm ( 1 - 6" ) Expansion Gaps

# MegAtec 370 : A07-A09

### MegAtec 370 : A07



### MegAtec 370 : A09



### Expansion Joint Selection Criteria

### Load Rating

### Product Details

Joint Location	Gap Width B (mm)	Movement Capacity (mm)		Eurocode Rating				Product Dimensions		Sightline A (mm)	Blockout C (mm)	Product Number
		±	[Total]					H1 (mm)	H2 (mm)			
Wall - Wall	25	± 12	[25]					6		157	-	370-A07-025-006
	50	± 25	[50]							193		370-A07-050-006
	75	± 37	[75]	-	-	-	-			231		370-A07-075-006
	100	± 50	[100]							268		370-A07-100-006
	150	± 75	[150]							343		370-A07-150-006
Corner - Wall	25	± 12	[25]					6	38	62	-	370-A09-025-006
	50	± 25	[50]							98		370-A09-050-006
	75	± 37	[75]	-	-	-	-		106	135		370-A09-075-006
	100	± 50	[100]							173		370-A09-100-006
	150	± 75	[150]							248		370-A09-150-006

## Features

### Surface

Raised surface  
No visible fixings

### Movement

High movement capacity  
ASTM E-1399 Class I: Thermal  
Class II: Wind

## Traffic Frequency per day



- - - - -

## System Options

Gap width(s)	25, 50, 75, 100, 150 mm
Height(s)	6 mm
Metal type(s)	6063 T5 & T6 Aluminium
Colour(s)	20/25 micron clear satin anodised finish aluminium
Fire barrier	120 minutes
Waterproofing	Moisture barrier
Pre-assembly in factory	Contact Vexcolt

# MegAtec 370 : A07-A09

## APPLICATIONS

Airport Terminals | Educational | Exhibition Centres  
Department Stores | Distribution & Retail Warehouses  
Factories | Hospitals | Museums | Offices & Hotels  
Parking | Places of Worship | Residential Buildings  
Rail, Metros & Elevated Rail Stations | Roads & Bridges  
Shopping Centres | Sports Stadiums | Supermarkets