
MaxAtec 100 : B01-B02

MaxAtec 100 : B01




Expansion Joint Selection Criteria				Load Rating			Product Details					
Joint	Gap	Movement		Eurocode Rating			Product Dimensions			Product		
Location	Width Capacity (mm)					Height		Sightline	Blockout	Number		
	B (mm)	±	[Total]				00 0	H1 (mm)	H2 (mm)	A (mm)	C (mm)	
Floor — Floor	30	± 5	[10]	5 kN	46 kN	_	_	26: 71		41	185	100-B01-030-(H1)
	50	± 10	[20]	2 kN	31 kN			26: 51:	-	72	216	100-B01-050-(H1)
	75	± 15	[30]					71		94	238	100-B01-075-(H1)
Floor – Wall	30	± 5	[10]	5 kN	46 kN	46 kN 31 kN	_	26:71	51	41	113	100-B02-030-(H1)
	50	± 10	[20]	2 kN 🗧	01.141			26: 51:	76	72	144	100-B02-050-(H1)
	75	± 15	[30]		31 KN			71		94	166	100-B02-075-(H1)

When specifying or ordering please add the **height (H1)** required to the Product Reference. For example MaxAtec 100 : B01-030-051 denotes a joint 51mm high.

The load ratings are based on the vehicle not exceeding 10mph / 16kmh.

MaxAtec 100 : B02







SINGLE-SEAL EXPANSION JOIN

Floor to Floor | Floor to Wall 30 - 75 mm (1 1/4 - 3") Expansion Gaps

Features

Surface

Smooth surface

Centre supported and Americans with Disabilities Act (ADA) compliant across the entire movement cycle

Movement

Good movement capacity ASTM E-1399 Class I: Thermal Class II: Wind

Traffic Frequency per day

Ŕ	<u> </u>			00 0
≤ 25,000	≤ 10	≤ 10	-	-

System Options

Gap width(s)	30, 50, 75 mm
Height(s)	26, 51, 71 mm
Metal type(s)	6063 T5 & T6 Aluminium
	Brass cappings
Seal colour(s)	Black (RAL 7021)
	Grey (RAL 7038)
	Beige (RAL 1015)
Fire barrier	120 minutes
Waterproofing	Moisture barrier
Pre-assembly in factory	Contact Vexcolt



ACCES

Airport Terminals | Educational | Exhibition Centres Department Stores | Distribution & Retail Warehouses Factories | Hospitals | Museums | Offices & Hotels Parking | Places of Worship | Residential Buildings Rail, Metros & Elevated Rail Stations | Roads & Bridges Shopping Centres | Sports Stadiums | Supermarkets

www.vexcolt.com